

# Author Index for 2001

	Issue	Page
Aitchison, Jonathan C. — see: Buckman, Solomon and Aitchison, Jonathan C.		
Albanesi, G. L. — see: Ottone, E. G., Holfeltz, G. D., Albanesi, G. L. and Ortega, G.		
1. Alegret, Laia and Thomas, Ellen — Upper Cretaceous and lower Paleogene benthic foraminifera from northeastern Mexico	4	269
Altner, Sevinç Özkan — see: Özcan, Ercan, Sirel, Ercüment, Altner, Sevinç Özkan and Çolakoğlu, Sinan		
2. Barbieri, Roberto — Taphonomic implications of foraminiferal composition and abundance in intertidal mud flats, Colorado River Delta (Mexico)	1	73
3. Berggren, William A. — Review of Proceedings of the Fifth International Workshop on Agglutinated Foraminifera, edited by M. B. Hart, M. A. Kaminski, and C. W. Smart	4	368
4. Berggren, William A. — Review of Modern Foraminifera, edited by Barun Sen Gupta	1	96
5. Berggren, William A. — Review of Oligocene-Miocene foraminifera of the Central Paratethys by I. Cicha, F. Rögl, C. Rupp, and J. Ctyroka	1	93
6. BouDagher-Fadel, Marcelle K. — The taxonomy and evolution of the foraminiferal genus <i>Buccicrenata</i> Loeblich and Tappan	2	168
7. Buckman, Solomon and Aitchison, Jonathan C. — Middle Ordovician (Llandeilan) radiolarians from West Junggar, Xinjiang, China	4	359
8. Bucur, Ioan I. and Enos, Paul — Middle Triassic Dasyclad Algae from Guizhou, China	4	317
Caus, Esmeralda — see: Hottinger, Lukas, Romero, Josep and Caus, Esmeralda		
Çolakoğlu, Sinan — see: Özcan, Ercan, Sirel, Ercüment, Altner, Sevinç Özkan and Çolakoğlu, Sinan		
9. Editors, The — Erratum: E. G. Reinhardt, et al., 1998 — Vol. 44, No. 2, pp. 131-148	1	95
10. Editors, The — Erratum: T. Itaki and S. Hasegawa, 2000 — Vol. 46, No. 2, pp. 179-185	1	95
11. Editors, The — Erratum: Maddocks, Rosalie F., 2000 — Volume 46, Supplement 2 for 2000, page 49	3	256
12. El-Dawwy, M. H. — Paleocene benthic foraminiferal biostratigraphy and paleobathymetry in the sections between El Sheikh Fadl and Ras Gharib, Eastern Desert, Egypt	1	23
Enos, Paul — see: Bucur, Ioan I. and Enos, Paul		
Fedenya, Svetlana A. — see: Khursevich, Galina K., Karabanov, Eugene B., Prokopenko, Alexander A., Williams, Douglas F., Kuzmin, Mikhail I., Fedenya, Svetlana A.		
13. Feng, Qinglai, Zhang, Zhenfang and Ye, Mei — Middle Triassic radiolarian fauna from southwest Yunnan, China	3	173
Fensome, Robert A. — see: Guerstein, G. Raquel, Williams, Graham L. and Fensome, Robert A.		
Görmüş, Muhittin — see: Meriç, Engin and Görmüş, Muhittin		
14. Guerstein, G. Raquel, Williams, Graham L. and Fensome, Robert A. — <i>Cannosphaeropsis quattrocchiai</i> , a new species of dinoflagellate cyst from the mid Cenozoic of the Colorado Basin, Argentina	2	155
15. Gupta, Anil K., Joseph, Sudheer, and Thomas, Ellen — Species diversity of Miocene deep-sea benthic foraminifera and watermass stratification in the northeastern Indian Ocean	2	111
Haig, David W. — see: Taylor, Barry A. and Haig, David W.		
Holfeltz, G. D. — see: Ottone, E. G., Holfeltz, G. D., Albanesi, G. L. and Ortega, G.		
16. Hollis, Christopher John and Kimura, Katsumi — A unified radiolarian zonation for the Late Cretaceous and Paleocene of Japan	3	235
17. Hottinger, Lukas — Editor's Preface to The shell cavity systems in Elphidiid and Pellatispirine bilamellar foraminifera	S2	1
18. Hottinger, Lukas, Reiss, Zeev and Langer, Martin — Spiral canals of some Elphidiidae	S2	5

19. Hottinger, Lukas, Romero, Josep and Caus, Esmeralda — Architecture and revision of the Pellatispirines, planispiral canaliferous foraminifera from the Late Eocene Tethys	S2	35
20. Ibaraki, Masako — Neogene planktonic foraminifera of the Caleta Herradura de Mejillones section in northern Chile: Biostratigraphy and paleoceanographic implications	3	257
Joseph, Sudheer — see: Gupta, Anil K., Joseph, Sudheer, and Thomas, Ellen		
Karabanov, Eugene B. — see: Khursevich, Galina K., Karabanov, Eugene B., Prokopenko, Alexander A., Williams, Douglas F., Kuzmin, Mikhail I., Fedenya, Svetlana A.		
21. Khursevich, Galina K., Karabanov, Eugene B., Prokopenko, Alexander A., Williams, Douglas F., Kuzmin, Mikhail I., Fedenya, Svetlana A. — Biostratigraphic significance of new fossil species of the diatom genera <i>Stephanodiscus</i> and <i>Cyclotella</i> from Upper Cenozoic deposits of Lake Baikal, Siberia	1	47
Kimura, Katsumi — see: Hollis, Christopher John and Kimura, Katsumi		
Kuzmin, Mikhail I. — see: Khursevich, Galina K., Karabanov, Eugene B., Prokopenko, Alexander A., Williams, Douglas F., Kuzmin, Mikhail I., Fedenya, Svetlana A.		
Langer, Martin — see: Hottinger, Lukas, Reiss, Zeev and Langer, Martin		
22. Mai, Hartmut — New coccolithophorid taxa from Geulhemmerberg airshaft, Lower Paleocene, The Netherlands	2	144
23. Meriç, Engin and Görmüş, Muhittin — The Genus <i>Loftusia</i>	S1	1
24. Muthukrishnan, Suresh and Saraswati, Pratul Kumar — Shape analysis of the nucleocoenoch of <i>Lepidocyclina</i> from Kutch - A taxonomic interpretation	1	87
Nestell, Merlynd K. — see: Pronina-Nestell, Galina P. and Nestell, Merlynd K.		
25. O'Connor, Barry — <i>Buryella</i> (Radiolaria, Artostrobiidae) from DSDP Site 208 and ODP Site 1121	1	1
Ortega, G. — see: Ottone, E. G., Holfeltz, G. D., Albanesi, G. L. and Ortega, G.		
26. Ottone, E. G., Holfeltz, G. D., Albanesi, G. L. and Ortega, G. — Chitinozoans from the Ordovician Los Azules Formation, Central Precordillera, Argentina	2	97
27. Özcan, Ercan, Sirel, Ercüment, Altiner, Sevinç Özkan and Çolakoğlu, Sinan — Late Paleocene Orthophragminae (foraminifera) from the Haymana-Polatlı Basin, central Turkey): description of a new taxon, <i>Orbitoclypeus haymanaensis</i>	4	339
Prokopenko, Alexander A. — see: Khursevich, Galina K., Karabanov, Eugene B., Prokopenko, Alexander A., Williams, Douglas F., Kuzmin, Mikhail I., Fedenya, Svetlana A.		
28. Pronina-Nestell, Galina P. and Nestell, Merlynd K. — Late Changhsingian foraminifers of the north-western Caucasus	3	205
Reiss, Zeev — see: Hottinger, Lukas, Reiss, Zeev and Langer, Martin		
Romero, Josep — see: Hottinger, Lukas, Romero, Josep and Caus, Esmeralda		
Saraswati, Pratul Kumar — see: Muthukrishnan, Suresh and Saraswati, Pratul Kumar		
Sirel, Ercüment — see: Özcan, Ercan, Sirel, Ercüment, Altiner, Sevinç Özkan and Çolakoğlu, Sinan		
29. Taylor, Barry A. and Haig, David W. — Barremian foraminifera from the Muderong Shale, oldest marine sequence in the Cretaceous of the Southern Carnarvon Basin, Western Australia	2	125
Thomas, Ellen — see: Gupta, Anil K., Joseph, Sudheer, and Thomas, Ellen; see also: Alegret, Laia and Thomas, Ellen		
Williams, Douglas F. — see: Khursevich, Galina K., Karabanov, Eugene B., Prokopenko, Alexander A., Williams, Douglas F., Kuzmin, Mikhail I., Fedenya, Svetlana A.		
Williams, Graham L. — see: Guerstein, G. Raquel, Williams, Graham L. and Fensome, Robert A.		
Ye, Mei — see: Feng, Qinglai, Zhang, Zhenfang and Ye, Mei		
Zhang, Zhenfang — see: Feng, Qinglai, Zhang, Zhenfang and Ye, Mei		

# Subject Index for 2001

NOTE: Names of new taxa are set in **bold-face** type. Numbers refer to papers listed in the author index.

- algae, dasyclad
  - Diplopora sinica*, 8
  - Julpiaella*, 8
  - Pseudodiplopora*, 8
  - Triassic, Middle
    - China, Guizhou, 8
- Argentina
  - Cenozoic
    - dinoflagellates, 14
  - Ordovician
    - chitinozoans, 26
- Australia, western
  - Cretaceous
    - foraminifera, 29
- biostratigraphy
  - Paleocene
    - Egypt, 12
- Caucasus
  - Permian, Upper
    - foraminifera, 28
- Cenozoic
  - Argentina
    - dinoflagellates, 14
  - Siberia, Lake Baikal
    - diatoms, 21
- Chile, northern
  - Neogene
    - foraminifera, 20
- China, Guizhou
  - Triassic, Middle
    - algae, dasyclad, 8
- China, Xinjiang
  - Ordovician, Middle
    - radiolaria, 7
- China, Yunnan
  - Triassic, Middle
    - radiolaria, 13
- Chitinozoans
  - Eisenachkitina yolei*, 26
- Chitinozoans
  - Ordovician
    - Argentina, 26
- Coccolithophorids
  - Paleocene, Lower, 22
    - Cruciplacolithus filigranus*, 22
    - Prinsius scissuratus*, 22
    - Prinsius simplex*, 22
- Cretaceous
  - Western Australia
    - foraminifera, 29
  - Japan
    - radiolaria, 16
  - Mexico, northeastern
    - foraminifera, 1
- Diatoms
  - Cenozoic, Upper
    - Siberia, Lake Baikal, 21
    - Cyclotella comtaeformica* var. *spinata*, 21
    - Cyclotella comtaeformica*, 21
    - Cyclotella distincta*, 21
    - Cyclotella iris* var. *insueta*, 21
    - Cyclotella praeminuta*, 21
    - Cyclotella tempereiformica*, 21
    - Stephanodiscus yukonensis*, 21
    - Stephanodiscus princeps*, 21
    - Stephanodiscus williamsii*, 21
- dinoflagellates
  - Cannosphaeropsis quattrocchia*, 14
- Cenozoic
  - Argentina, 14
- Egypt
  - Paleocene
    - foraminiferal biostratigraphy, 12
- foraminifera
  - Abadehella grandis*, 28
  - Agathammina psebaensis*, 28
  - Bathysiphon paleocenicus*, 12
  - Buccicrenata primitiva*, 6
  - Cretaceous
    - Western Australia, 29
    - Mexico, northeastern, 1
  - Elphidiidae
    - shell architecture, 18
  - Graecodiscus kotlyarae*, 28
  - Hemigordius nikitensis*, 28
  - Hercocitina volkheimerii*, 26
  - Jurassic, Upper
    - Middle East, 6
  - Langella malalabensis*, 28
  - Lepidocyclina*, subgenera
    - shape analysis, 24
  - Loftusia matusmarui*, 23
  - Loftusia*, systematic overview, 23
  - Maastrichtian
    - Turkey, 23
  - Midiella karinae*, 28
  - Miocene
    - Indian Ocean, 15
  - Neogene
    - Chile, northern, 20
  - Orbitoclypeus haymanaensis*, 27
- Paleocene, Late
  - Turkey, central, 27
- Paleogene, Lower
  - Mexico, northeastern, 1
- Pellatispirinae
  - shell architecture, 19
- Pseudomidiella*, 28
  - Pseudocolaniella longa*, 28
  - Pseudomidiella labensis*, 28
- taphonymy
  - Mexico, Colorado River Delta, 2
- Urushtenella*, 28
  - Urushtenella latebroza*, 28
- Indian Ocean
  - Miocene
    - foraminifera, 15
- Japan
  - Cretaceous, Late
    - radiolaria, 16
  - Paleocene
    - radiolaria, 16
- Jurassic, Upper
  - Middle East
    - foraminifera, 6
- Kutch
  - Oligocene-Miocene, 24
- Maastrichtian
  - Turkey
    - foraminifera, 23
- Mexico, Colorado River Delta
  - foraminifera
    - taphonymy, 2
- Mexico, northeastern
  - Cretaceous, Upper
    - foraminifera, 1
- Middle East
  - Jurassic, Upper
    - foraminifera, 6
- Miocene
  - Indian Ocean
    - foraminifera, 15
- Neogene
  - Chile, northern
    - foraminifera, 20
- Netherlands, Geulhemmerberg
  - Paleocene, lower
    - coccolithophorids, 22

## Subject Index for 2001, *continued*

### Ordovician

- Chitinozoans
  - Argentina, 26
- China, Xinjiang
  - radiolaria, 7

### Paleocene

- Japan
  - radiolaria, 16
- South Pacific
  - radiolaria, 25
- Turkey, central
  - foraminifera, 27
- Netherlands, Geulhemmerberg
  - coccolithophorids, 22

### Paleogene, Lower

- Mexico, northeastern
  - foraminifera, 1

### Permian, Upper

- Caucasus
  - foraminifers, 28

### Radiolaria

- Archaeospongoprimum muyinense*, 13
- Buryella*, 25
- Buryella helenae*, 25
- Buryella petrushevskayae*, 25
- Buryella tridica*, 25
- Late Cretaceous
  - Japan, 16
- Neopaurinella deweveri*, 13
- Neopaurinella kozuri*, 13
- Ordovician, middle
  - China, Xinjiang, 7
- Paleocene
  - Japan, 16
- Paleocene, Late, 25
- South Pacific, 25
- Spongopyle* ? *sanfilippoae*, 25
- Triassic, Middle
  - China, Yunnan, 13
- Triassocampe coronata inflata*, 13
- Triassocampe dumitricai*, 13
- Triassocampe goricanii*, 13
- Triassocampe relicae*, 13
- Siberia, Lake Baikal
  - Cenozoic, Upper
    - diatoms, 21
- South Pacific
  - Paleocene
    - radiolaria, 25
- Triassic, Middle
  - China, Guizhou
    - dasyclad algae, 8
  - China, Yunnan
    - radiolaria, 13
- Turkey
  - Maastrichtian
    - foraminifera, 23
  - Paleocene, late
    - foraminifera, 27

